

Certificate of Analysis

Product	Fetal Bovine Serum ES Cell Pre-tested ,Collected in South America, sterile-filtered		
Cat. No.	AB-FBS-ES-0500, AB-FBS-ES-1050		
Lot. No.	AB20214215	Expiry Date	04/2026
Origin	South America	Manufacturing Date	04/2021
		Storage	≤-15°C

Quality Profile	Specification	Result	Unit
Appearance	Clear amber	Pass	
pH	6.8 – 8.2	7.20	
Osmolality ⁽¹⁾	280 – 340	299	mOsm/kg
Endotoxin ⁽²⁾	As reported	0.41	EU/ml
Hemoglobin	≤ 25	16.2	mg/dl
Glucose	As reported	2.59	mM
Calcium	As reported	3.29	mM
Phosphorous	As reported	2.70	mM
GOT/AST	As reported	59	U/l
LDH	As reported	753	U/l

Protein Profile			
Total Protein ⁽³⁾	3.0 – 4.5	3.6	g/dl
Albumin ⁽⁴⁾	As reported	1.8	g/dl
IgG	≤ 250.0	195.32	mg/l

Sterility Testing			
Bacteria and Fungi	Not detected	Not detected	
Mycoplasma ⁽⁵⁾	Not detected	Not detected	

Virus Testing ⁽⁶⁾			
Bovine Herpes Virus (BHV-1 and BHV-5)	Not detected	Not detected	
Pestivirus (e.g. BVD-V)	Not detected	Not detected	
Parainfluenza Virus Type 3 (PI-3)	Not detected	Not detected	

Biological Performance			
Cell Growth MDCK (Madin-Darby Canine Kidney Line) ⁽⁷⁾	≥ 75.0	99.0	%
Cell Growth CHO (Chinese Hamster Ovary Cell Line) ⁽⁷⁾	≥ 75.0	100.0	%
Mouse Stem Cell Test ES (D3) Inhibition Test on Differentiation	≥ 75.0	92.0	%

References/Methods

(1) Freeze Point Depression	(5) Cell Culture
(2) Chromokinetic Test	(6) Cytopathic Effect in Cell Culture and ELISA
(3) Biuret Colorimetry	(7) Growth Promoting Assay
(4) Immunoturbidimetry	

Intended Use For research use only.

Date June 01, 2021

This document has been created digitally and is valid without a signature.